

Brand	Lexar		
Product Name Full	Lexar <sup>®</sup> Professional Workflow Go Battery		
Product Name Short	Workflow Go Battery		
Product Name e-Commerce	Lexar® Professional Workflow Go Battery		
Product Line	Workflow dock, docking stations, workflow hub		
Marketing Text 25-Word Description	Gear up with extra battery packs for your Lexar Professional Workflow Go so you can keep shooting, editing, and creating from sunrise to sunset.		
(<750 characters) Marketing Text 50-Word Description (<750 characters)	Lexar Professional Workflow Go batteries are designed to keep your Lexar Professional Workflow Go docking station powered up for laptop-less backup and on-the-go editing, and they can even charge your USB-C smartphone—so you can keep shooting, editing, and creating from sunrise to sunset.		
Bullet Feature 1	Designed to power Lexar Professional Workflow Go for easy, laptop-free backups in the field		
Bullet Feature 2	Detachable, rechargeable 5000mAh battery pack provides up more than 4.5 hours <sup>1</sup> of worry- free back-up when paired with Lexar Professional Workflow Go		
Bullet Feature 3	USB Type-C connector		
Bullet Feature 4	A solid, aluminum design offers excellent heat dissipation and scratch resistance		
Bullet Feature 5	Can be used to power your other Type-C devices as well		
Bullet Feature 6	2-year warranty gives you peace of mind		
Footnote(s)/ Disclaimer(s)	<ul> <li><sup>1</sup>Based on internal testing.</li> <li>Lexar is not liable for any loss of data or images.</li> <li>[Product page only]</li> <li>Product appearance, performance, software offerings, and packaging may vary depending on ship date and available inventory.</li> <li>Actual usable memory capacity may vary. 1GB equals 1 billion bytes.</li> </ul>		
Warranty	Two-year limited warranty		
Market Segment	Electronics, Computers & accessories, data storage		
Category	Battery pack		
Sub Category	Battery pack		

T



Keywords for Search	Lexar Professional Workflow Go Battery, Lexar Professional Battery, Lexar
	Professional Battery pack, Workflow battery, portable battery, backup battery

	Specifications					
Model	WF 6B0					
Battery capacity	5000mAh					
Specification	USB-C Input: 5V=3A, 9V=2.2A, 12V=1.67A USB-C Output: 5V=3A, 9V=2.2A, 12V=1.67A Total Output:5V=3A Max					
Dimensions(L x W x H)	77 x 38 x 36.8mm					
Weight	156g					
	Ord	dering Information				
Single and/or Master	Part Number	Description	Single UPC	10-Pack UPC		
Carton UPC (Global)	LPWF6B0N-NANGL	Lexar Professional Workf Go Battery,GL	low 843367137558	10843367137555		
Country of Origin	China and Vietnam.					
Harmonized Tariff Schedule	8507600090					
Compliance	CE, FCC, VCCI, RCM, CMA, WEEE, UKCA					
	Weigh	ts and Dimensions				
Product	Γ					
Unit Weight	0.34	4 lbs	156	156 g		
Unit Dimensions (L x W x H)	3.03" x 1.49" x 1.45"		77mm x 38mm	77mm x 38mm x 36.8mm		
Image						
Retail Box (Dual Package)	Retail Box (Dual Package)					
Package Type	Retail Box					
Qty Per Package	1					
Shipping Weight	0.432 lbs		196	196 g		
Package Dimensions (L x W x H)	4.54" x 2.87" x 1.65" 115.5mm x 73mm x 42mm					



Image						
Retail Box – Inner Pack	Retail Box – Inner Pack					
Package Type	Inner Carton					
Retail Inner Pack Quantity	10					
Shipping Weight	4.630lbs	2.1kg				
Package Dimensions (L x W x H)	9.45" x 7.48" x 3.50"	240mm x 190mm x 89mm				
Retail Box – Master Pack						
Package Type	Master Carton					
Retail Master Pack Quantity	30					
Shipping Weight	14.595lbs	6.62kg				
Package Dimensions (L x W x H)	10.07" x 8.11" x 11.61"	256mm x 206mm x 295mm				